

# Growing Warm-Season Fruits and Vegetables in Childcare Production Gardens

## Local Foods: Childcare Center Production Gardens 3

This publication focuses on easy-to-grow, child-friendly, warm-season fruits and vegetables suitable for childcare center gardening. This is the third of eight publications about childcare center production gardens.

Early childhood educators can easily engage children in growing, harvesting, and preparing healthy, fresh fruits and vegetables and at the same time provide numerous opportunities for hands-on learning. This publication provides information on easy-to-grow, child-friendly, warm-season fruits and vegetables suitable for a childcare production garden. For additional information, see other publications about Childcare Production Gardens in the Local Foods series. [Growing and Cooking Fruits and Vegetables at Childcare Centers](#) (LF-007-01) includes tips for engaging children of varying ages in gardening. [Snacking and Cooking with Warm-Season Produce from Childcare Production Gardens](#) (LF-007-05) includes simple recipes that can be used by childcare center cooks and educators to engage children in snacking and cooking with fresh, warm-season produce. Enjoying fruits and vegetables from their own gardening efforts can help children develop lifelong healthy eating habits.

**Note:** Planting dates noted here are general guidelines and vary by region across North Carolina depending on the average date of last frost. Generally, the coast has an earlier planting date while in the mountains it is necessary to wait for the first spring planting. Varying weather conditions can affect growing times as well. Contact your county Cooperative Extension center for guidance on planting dates, soil testing, and for plant varieties that perform well in your area: <http://www.ces.ncsu.edu/local-county-center/>.

The crops listed in this publication are warm-season vegetables and fruits that perform well in North Carolina. Those at the beginning of the list are the easiest to grow. Those at the end of the list require more care.



**Planting Options**

- Direct seed: Seeds are planted directly in the soil.
- Transplants: Small plants (seedlings), usually started in a greenhouse, are planted in the soil.

**Growing Guidelines**

- Each growing season, mix 1 to 3 inches of good-quality compost into the garden beds before planting.
- Water every day after planting to establish plants. Continue watering every day or every other day as needed throughout the growing season.



Raised beds with a mix of warm-season fruits and vegetables.



# Beans

## Planting:

Direct seed 1 inch deep and 3 to 6 inches apart in late May. Beans come in two forms: bush and pole. Bush beans stay low to the ground (about 2 feet high and 2 feet wide) and do not need to be trellised. Pole beans form vines and need to be gently guided up a vertical growing structure, such as a teepee, trellis, or fence.

## Harvest:



June to September. Harvest beans as soon as they are about 3 to 4 inches long and slightly rounded. Leaving beans on the plant longer results in tough pods with hard seeds in them.

## Varieties:

- Blue Lake (green pole and bush forms)
- Tendergreen (green bush form)
- Red Noodle (dark-burgundy pole form. Bean pods grow up to 16 to 20 inches long)

## Tips:

Pole beans growing on a well-anchored teepee make a fun play setting!



# Tomatoes

## Planting:

Transplant 24 inches apart in late April to May with a staked cage around each plant for support.

## Harvest:

June to mid October. Allow tomatoes to ripen on the vine. They are ripe when they take on their final color.

## Note:



In North Carolina, growing tomato plants in Outdoor Learning Environments is allowed at licensed childcare centers for children three years of age or older. For more information refer to <http://ncchildcare.nc.gov/general/home.asp>.

## Varieties:

- Super Sweet 100 (red cherry tomatoes, 1 inch in diameter)
- Sun Gold (yellow cherry tomatoes, 1 inch in diameter)
- Juliet (red grape-shaped tomatoes, 1½ inches long, oblong)
- Celebrity (red slicing tomatoes, 3 inches in diameter, bushy plants)

## Tips:

Smaller fruited varieties are less prone to splitting and make perfect bite-size snacks for children.



# Peppers

## Planting:

Transplant 18 to 24 inches apart in late May, and stake when they get top-heavy.

## Harvest:



July to mid October. All varieties start out green. Some stay green and others, depending on the variety, turn red, yellow, orange, or purple. Peppers are fully ripe and sweetest when they reach their final color.

## Varieties:

- Better Belle (green)
- Snapper (green that ripens to red, can be eaten at either stage)
- Big Bertha (green that ripens to red, can be eaten at either stage)

## Tips:

Pepper plants grow well in containers.



# Cucumbers

## Planting:

Direct seed 1 inch deep. Place seeds or transplants 10 to 12 inches apart near a trellis structure or in 4-foot rows on the ground in May. Cucumbers are vigorous vines that can be gently guided to grow up a vertical structure, such as a trellis, fence, or cage.

## Harvest:


June to August. Harvest when cucumbers are at least 3 inches long and a dark-green color, before they have turned yellow. Cucumbers mature quickly, so be sure to check the plants every day.

## Varieties:

- Diva (spineless green, sweet flavor, 6 to 8 inches long)
- Marketmore 76 (green, 8 to 9 inches long)
- Dasher II (green, 8 inches long)
- General Lee (green, 8 to 8½ inches long)
- Burpless (green, 10 inches long, easy to digest)

## Tips:

Cucumbers grown up a teepee make a fun play setting for children.



# Cantaloupes

## Planting:

Direct seed 1½ inches deep. Place seeds or transplants 48 to 60 inches apart once the danger of frost has passed, mid April to June.

## Harvest:


July to early October. Harvest approximately three months after planting when the melon's exterior begins to turn from green to tan.

## Varieties:

- Athena (standard variety)
- Ambrosia (standard variety)

## Tips:

Place a board or piece of plastic under cantaloupes as they develop to prevent insects from boring into the fruit. One or two vines should provide plenty of fruit for a class! Vines need a lot of space and can spread up to 10 feet.



# Watermelons

## Planting:

Direct seed 1½ inches deep. Place seeds or transplants 48 to 60 inches apart once the danger of frost has passed, mid April to June. Vines need a lot of space and can spread up to 10 feet.

## Harvest:


July to early October. Watermelons are ripe when the tendril closest to the fruit on the vine begins to dry out and turn brown and the underside of the melon turns a light yellow.

## Varieties:

- Sugar Baby (round, small fruits, 8 inches in diameter, up to 10 pounds, dark-green skin)
- Crimson Queen (round, 10 to 12 inches in diameter, up to 25 pounds, light-green striped skin)
- Ruby (seedless, small fruits, 6 to 8 pounds, light-green striped skin)

## Tips:

Place a board or piece of plastic under watermelons as they develop to prevent insects from boring into the fruit. One or two vines should provide plenty of fruit for a class!



# Zucchini

## Planting:

Direct seed 1½ inches deep. Place seeds or transplant 36 inches apart in May.

## Harvest:


June to August. Zucchini are most tender when picked at 4 to 8 inches long.

## Varieties:

- Spineless Perfection (standard green)
- Spineless Beauty (standard green)
- Black Beauty (standard green)

## Tips:

Zucchini plants are very high-yielding and can be harvested every day during peak harvest time.



# Yellow Squash

## Planting:

Direct seed 1½ inches deep. Place seeds or transplants 36 inches apart in May.

## Harvest:


June to August. Squash are most tender when picked at 5 to 6 inches long.

## Varieties:

- Multipik (yellow straight neck)
- Yellow Fin (yellow straight neck, deep rich yellow)

## Tips:

Squash plants are very high-yielding and can be harvested every day during peak harvest time.



# Okra

## Planting:

Direct seed 1 inch deep. Place seeds or transplants 12 to 18 inches apart in May – early June. If direct seeding, soak seeds in water overnight before planting.

## Harvest:


Mid July to mid October when okra pods are 2 to 3 inches long.

## Varieties:

- Clemson Spineless (standard green)
- Red Burgundy (purple-red stems and pods)

## Tips:

Okra plants grow very fast. Pods can go from the perfect size to overgrown overnight. Pods that get too large can be left on the plant to dry to become a rattle or musical instrument. Okra flowers are very beautiful and fun for children to explore.





# Sweet Potatoes

## Planting:

Sweet potatoes are started by planting "slips," which are young sweet potato sprouts that have been grown from another sweet potato. They can also be purchased as plants at a nursery or home improvement store. Plant slips or transplants to a depth of 5 inches in rows 10 to 12 inches apart in mid May to June in deep, loose soil or in containers. The plants are a vigorous vine and need room to spread.

## Harvest:



Late August to early November. Sweet potatoes are ready to harvest when the vines begin to die and turn brown.

## Varieties:

- Covington (standard sweet potato)
- Beauregard (standard sweet potato)

## Tips:

When harvesting sweet potatoes from containers, dump the contents of the containers into a wheelbarrow or onto a tarp and let the children have fun rummaging through the soil to find the sweet potatoes.



# Potatoes

## Planting:

Potatoes are started by planting potato "seeds," which are pieces of potatoes that have sprouts on them called "eyes." They can also be bought as small tubers. Plant to a depth of 5 inches in rows 10 to 12 inches apart in mid March to April in deep, loose soil or in containers or grow bags. "Hill up" or add soil on top of the potatoes as the leaves first emerge. Repeat as the leaves emerge again to create a "hill" or mound for the potatoes to grow in.

## Harvest:



Late June to July. Potatoes are ready after the plants have flowered and the vines have started to die back.

## Varieties:

- Yukon Gold (golden flesh)
- Kennebec (white flesh)
- Red Pontiac (red skin, white flesh)
- Cranberry Red (red skin, white flesh)
- All-Blue (blue skin, blue flesh)

## Tips:

If red, white, and blue varieties are grown, the tubers can be harvested in late June or early July, just in time to make patriotic red, white, and blue potato salad!



# Pumpkins

## Planting:

Direct seed 1½ inches deep. Place seeds or transplants 48 inches apart in late May to early July. Plant later in the season for a late fall harvest around Halloween.

## Harvest:



July to October, when fruits are orange and firm.

## Varieties:

- Small Sugar (pie pumpkin)
- Connecticut Field (jack-o-lantern pumpkin)
- Calabaza Triple Treat (jack-o-lanterns and pies)
- Munchkin (mini-pumpkin)

## Tips:

One vine of a smaller variety like Munchkin will produce around 14 pumpkins per vine, while a larger jack-o-lantern vine will produce around five pumpkins.



# Eggplant

## Planting:

Plant transplants 24 inches apart in late May to mid June. Stake when they get top-heavy.

## Harvest:



Mid July to mid October. Harvest when eggplants are shiny and firm, but not hard when squeezed gently. Over-ripe eggplants become dull, wrinkled, and spongy to the touch.

## Varieties:

- Ichiban or Dairyu (thin, Japanese style, up to 10 inches long, purple-black fruit)
- Nadia (rounded, traditional Italian style, 7 to 8 inches long and 3 to 4 inches wide with dark purple-black fruit)
- Hansel (thin, 3- to 4-inch-long purple fruits, ¾ – 1 inch wide)
- Black Beauty (large rounded fruit, plant produces only four to six fruits)

## Tips:

Eggplants can be grown in large containers.



## PREPARED BY:

**Mary Archer**, Lead Author, Design Assistant  
**Sarah Konradi**, Lead Author, Design Associate  
Natural Learning Initiative (NLI)  
NC State University

**Joanna Massey Lelekacs**, Coordinator, Local Foods Program  
NC Cooperative Extension  
Center for Environmental Farming Systems

**Elizabeth Driscoll**, Extension Associate  
Department of Horticulture  
NC State University

## LOCAL FOODS PUBLICATION EDITOR:

**Joanna Massey Lelekacs**, Coordinator, Local Foods Program  
NC Cooperative Extension  
Center for Environmental Farming Systems

## CHILDCARE CENTER PRODUCTION GARDENS PUBLICATION EDITORS:

**Robin C. Moore**, Director  
Natural Learning Initiative (NLI)  
NC State College of Design  
with the NLI Early Childhood Gardening Team:

**Nilda Cosco**  
**Sarah Konradi**  
**Mary Archer**  
**Caroline Asher**  
**Karli Stephenson**, Graphic Designer

## PUBLISHED BY:

NC Cooperative Extension Service

## ACKNOWLEDGEMENTS:

The authors wish to express appreciation to Shawn Banks, Alison Duncan, Chris Gunter, Robert Jones, Debra Ireland, and Barbara Scott for their assistance in preparing this publication, and to the John Rex Endowment, [www.rexendowment.org](http://www.rexendowment.org), for their grant support.

## SUGGESTED CITATION:

Archer, M., Konradi, S., Lelekacs, J., Driscoll, E. (2015). *Growing Warm-Season Fruits and Vegetables in Childcare Production Gardens*. LF-007-03. Raleigh: North Carolina Cooperative Extension Service. <http://content.ces.ncsu.edu/childcare-center-production-gardens-3-growing-warm-season-fruits-and-vegetables-in-the-childcare-p/>



College of Agriculture and Life Sciences

Distributed in furtherance of the acts of Congress of May 8 and June 30, 1914. North Carolina State University and North Carolina A&T State University commit themselves to positive action to secure equal opportunity regardless of race, color, creed, national origin, religion, sex, age, veteran status, or disability. In addition, the two Universities welcome all persons without regard to sexual orientation. North Carolina State University, North Carolina A&T State University, U.S. Department of Agriculture, and local governments cooperating.

LF-007-03

09/15–2,300 copies–BS/KS

2,300 copies of this public document were printed at a cost of \$575.00, or \$0.25 per copy

<http://content.ces.ncsu.edu/childcare-center-production-gardens-3-growing-warm-season-fruits-and-vegetables-in-the-childcare-p/>